

# L3D



## VACUUM INSULATED LUXUS® THERMAL DISPENSERS

### ELECTRONIC DISPLAY

The built in Freshness Timer™ and Volume Indicator™ along with a gravitational release.

### VACUUM INSULATED LINER

Optimum heat retention and maximum durability along with a wide open solid front for merchandising.

### GUARDED FAUCET

Clear Guard guides operators to the faucet for fewer spills. Faucet and Clear Guard are easily removable for being kept clean.

### BUILT-IN DRIP TRAY

The Built-In Drip Tray is designed for ease of cleaning; equipped with a grate, the whole tray is completely removable.



# FETCO®

Driven To Pioneer Innovation™

## DIMENSIONS AND SPECIFICATIONS

### Dimensions

Model	Dimensions [W/H/D] mm	Empty / Full Dispenser kg	Capacity liter	Compatibility with <b>FETCO</b> Brewers
<b>L3D 10</b>	205 / 550+75 handle / 300	4.1 / 8	4	<b>CBS 2041e / 2042e / 51H10</b>
<b>L3D 15</b>	230 / 565+90 handle / 340	4.8 / 11	6	<b>CBS 2051e / 2052e / 51H15 / 52H15</b>
<b>L3D20</b>	230 / 615+90 handle / 340	5.5 / 13.5	8	<b>CBS 2052e2 / 52H20</b>

### Single Packing Box

Model	Dimensions [W/H/D] mm	Shipping Weight kg
<b>L3D 10</b>	215 / 560 / 315	4.5
<b>L3D 15</b>	245 / 600 / 345	5.7
<b>L3D20</b>	245 / 655 / 345	6.0

### Triple Packing Box

Model	Dimensions [W/H/D] mm	Shipping Weight kg
<b>L3D 10</b>	665 / 595 / 335	13.8
<b>L3D 15</b>	750 / 630 / 365	17.9
<b>L3D20</b>	760 / 690 / 370	18.8

## ADDITIONAL INFORMATIONS

### Remarks

Check whether the Dispenser is empty before placing it under FETCO® Coffee Brewer.

## MODELS

**L3D 10**



**L3D 15**



**L3D 20**



## CONTACT

### Address

Fetco Inc. Sp. z o.o.  
Adamowicza 8  
Góra Kalwaria 05-530  
POLAND

### Phone / Fax

+ 48 22 727 4787  
+ 48 22 727 4788

### Internet / E-Mail

[www.fetco.com](http://www.fetco.com)  
[info@fetco.com](mailto:info@fetco.com)

### Dealer



# L3D 05 + L3S 05

## 2 LITER VACUUM INSULATED LUXUS® THERMAL DISPENSERS

### ELECTRONIC DISPLAY

With the built in Freshness Timer™ and Volume Indicator™ to identify how much coffee is inside and for how long it has been held.

### VACUUM INSULATED LINER

Optimum heat retention and maximum durability along with a wide open solid front for merchandising.

### GUARDED FAUCET

Clear Guard guides operators to the faucet for fewer spills. Faucet and Clear Guard are easily removable for being kept clean.

### REMOVABLE STAND

Stable Serving Stand makes the dispenser compatible with CBS-2021 Coffee Brewer, ensures comfort while serving drinks.

### BUILT-IN DRIP TRAY

The Built-In Drip Tray is designed for ease of cleaning; equipped with a grate, the whole tray is completely removable.



**FETCO®**

*Driven To Pioneer Innovation™*

## DIMENSIONS AND SPECIFICATIONS

### Dimensions

Model	Code	Dimensions [W/H/D] mm	Empty / Full Dispenser kg	Capacity liter	Compatibility with <b>FETCO</b> Dispensers
<b>L3D-05</b>	<b>D058</b>	165 / 415 + 60 rączka / 250	1.9 / 3.8	2.0	<b>CBS-2021</b>
<b>L3S-05</b>	<b>D059</b>	165 / 250+ 60 rączka / 165	1.45 / 3.35	2.0	<b>CBS-2021</b>
<b>S3S-05</b>	<b>A125</b>	165 / 168 / 250	---	---	<b>L3S-05</b>

### Single Packing Box

Model	Dimensions [W/H/D] mm	Shipping Weight kg
<b>L3D-05</b>	266 / 510 / 358	5

## ADDITIONAL INFORMATIONS

### Accessories

▶ A125 Serving Station S3S-05-1

### Remarks

Check whether the Dispenser is empty before placing it under FETCO® Coffee Brewer.

## MODELS

**L3D-05**



**L3S-05**



**S3S-05-1**



## CONTACT

### Address

Fetco Inc. Sp. z o.o.  
Adamowicza 8  
Góra Kalwaria 05-530  
POLAND

### Phone / Fax

+ 48 22 727 4787  
+ 48 22 727 4788

### Internet / E-Mail

[www.fetco.com](http://www.fetco.com)  
[info@fetco.com](mailto:info@fetco.com)

### Dealer